


NewXS Fixturing system

Catalogue 2014^{E05}



Modular fixturing system
for optical measuring and
checking instruments



NewXS

Modular fixturing system for optical measuring and checking instruments

NewXS is the consequential continuation of the Witte modular philosophy established worldwide. All elements follow the well-known ALUFIX modular system principle and are compatible.

Suitable for profile projectors and digital image processing:



Two system sizes:

XS 16 and XS 10 for small parts


According to modular principle both upgradeable with a variety of Alufix 16 and including a new mini vacuum solution.

Material: High-tensile aluminium alloy, anodized (black or natural)

Fast, accurate set up and adaptable to new tasks.



Components NewXS Spannsystem





#284421-1 Basic Kit Set up components

NewXS 16, (42-pcs), 2,7 kg

 The grid frame is not included in the set. Frames and bars suitable for your specific application are shown from page 8

Nr.	pcs	Name
324205-1	2	Adapter plate B=32mm L=64mm
324203-1	2	Connecting lug B=32mm
324204-1	1	Stop angled left
324318-1	1	Stop angled right
324209-1	2	Basic bar XS 16
284476-1	2	Parallel clamp XS 16
284477-1	2	Push rod
324208-1	2	Clamp holder B=16mm L=32mm
324206-1	3	Stop serrated B=16mm
327460-1	3	Hold-down column with thread
34634-1	1	Hold-down spring for low clamping
20244-1	2	Hold-down spring
284708-1	1	Hold-down spring with ball end
324211-1	1	Hold-down spring with forked end
324216-1	4	Positioning sleeve D=8mm
17255-S1	4	Cylinder head screw M4X8 DIN 7984
11546-S1	4	Cylinder head screw M4x10 DIN 7984
16141-S1	4	Cylinder head screw M4X12 DIN 7984
16359-S1	4	Cylinder head screw M4x16 DIN 912
52891-1	4	Crosspiece Ø4,3/16 AF16
12417	1	Storage case







Available on request

NewXS 10

Modular fixturing system for optical measuring and checking instruments

Components in system size New XS10
are available on request



NewXS 10
in original size

NewXS 10
Grid 10mm,
Hole diameter 5mm





Germany
Horst Witte Gerätebau
 Barskamp KG
 Horndorfer Weg 26-28
 D-21354 Bleckede
 Germany
 Tel.: +49 (0) 58 54/89-0
 Fax: +49 (0) 58 54/89-40
 E-mail:
 info@horst-witte.de
 www.horst-witte.de

Asia
Witte Far East Pte Ltd
 20 Boon Lay Way
 # 01 - 170
 Singapore 609967
 Singapore
 Tel.: +65-6248 5961
 Fax: +65-6898 4542
 E-mail: info@witteasia.com
 rfq@witteasia.com
 www.witteasia.com

USA & Canada
Witte LP
 2220 Northmont Pkwy, Suite 250
 Duluth, Georgia 30096
 USA
 Phone: +1 (770) 982 99 32
 Fax: +1 (770) 982 99 28
 E-mail:
 info@witteamerica.com
 rfq@witteamerica.com
 www.witteamerica.com

Mexico
Horst Witte de Mexico
 S.A. de C.V.
 Linco SC
 2 Sur 1706, Col. El Carmen
 Puebla, 72000
 Mexico
 Phone:
 +52 222893-8210
 E-mail: esanchez@linco.com.mx
 www.witemexico.de

Witte –
 specialized in

**Modular
 fixing systems**

Subcontracting

**Vacuum-
 clamping systems**

